

SMART HOME LIGHTING

www.onesmartlighting.com ODM / OEM / Manufacturer

SHOWROOM










WORKSHOP











EXHIBITION



































Surplife APP

East Transmission

Easy to use

₩ide range of applications

Full Signal Coverage



voice control

Smart Things、Google Home、Amazon Alexa










SMART LIGHTING

WiFi+BLU+2.4G



Remote Control

Voice Control

No need smart bridge




















Smartphone Control ①

Voice Control

 \bigcirc

SMART LED LIGHT WIFI +ble+2.4G

Smart Led light






7W LED Smart Bulb







Power:	7W	Connection Methods:	WiFi-Ble+2.4G
Phone OS:	Android 6.0 /iOS 11.0 or lat	er Input Voltage:	AC100-240V
Channel:	RGB+CCT	Color Temperature:	2700K-6500K
Bulb Size:	60X120mm	Viewing Angle:	120°
Application:	Store, Supermarket, Home	APP Name:	Surplife
_			























5W GU10 BUlb **LED Filament Bulbs**







Power:	15W	Connection Methods:	WiFi-Ble+2.4G
Phone OS:	Android 6.0 /iOS 11.0 or late	er Input Voltage:	AC100-130V
			AC190-240V
Channel:	RGB+CCT	Color Temperature:	2700K-6500K
Bulb Size:	65X130mm	Viewing Angle:	120°
Application:	Store, Supermarket, Home	APP Name:	Surplife



Power:	5 VV	Connection Methods.	WiFi-Ble+2.4G
Phone OS:	Android 6.0 /iOS 11.0 or la	ater Input Voltage:	AC100-130V
Channel:	RGB+CCT	Color Temperature:	2700K-6500K
Size:	52X50mm	Viewing Angle:	120°
Application:	Store, Supermarket, Home	APP Name:	Surplife

Phone OS:	Android 6.0 /iOS 11.0 or later	Channel:	ССТ
APP Name:	Surplife	Color Temperature:	2700K-6500K
Application:	Store, Supermarket, Home	Viewing Angle:	120°























Connection Methods: WiFi-Ble+2.4G





10W LED Smart Bulb



Application: Store, Supermarket, Home

Phone OS: Android 6.0 /iOS 11.0 or later

Channel: RGB+CCT

Bulb Size: 60X120mm











Connection Methods: WiFi-Ble+2.4G

Input Voltage: AC190-240V

Color Temperature: 2700K-6500K

APP Name: Surplife

Viewing Angle: 120°




















Smart Led light



9W LED Smart Downlight





Power:	9W	Connection Methods:	WiFi+ble+2.4G
Phone OS:	Android 6.0 /iOS 11.0 or later	APP Name:	Surplife
Channel:	RGB+CCT	Color Temperature:	2700K-6500K
Size:	185.5*83mm	Viewing Angle:	120°
Application:	Store, Supermarket, Home	Input Voltage:	AC100-130V
















Smart Recessed SlimLED Panel Light

Smart Recessed SlimLED Panel Light







12W	Connection Methods:	WiFi+ble+2.4G
Android 6.0 /iOS 11.0 or later	Size:	170 * 23mm
RGB+CCT	Color Temperature:	2700K-6500K
120°	APP Name:	Surplife
Store, Supermarket, Home	Input Voltage:	AC100-130V 50/60HZ
	Android 6.0 /iOS 11.0 or later RGB+CCT 120°	Android 6.0 /iOS 11.0 or later RGB+CCT Color Temperature: 120° APP Name:




























Smart Recessed SlimLED Panel Light





SMART LED LIGHT WIFI CONTROLLER

Smart WiFi Ceiling Lamp



SMART LED LIGHT

24W Smart WiFi Ceiling Lamp


24W Smart Ceiling Lamp







Power:	24W	:WiFi	
Phone OS:	Android 6.0 /iOS 11.0 or l	ater APP Name:	Surplife
Channel:	RGB+CCT	Color Temperature:	3000K-6500K
Size:	300x25mm	Viewing Angel:	120°
Application:	Store, Supermarket, Home	Input Voltage:	AC95-240V
A	© © &	(1/2) (L)	



















30W Smart WiFi Ceiling Lamp





Smart Floor Lamp











Power:	30W	Connection Methods:	WiFi
Phone OS:	Android 6.0 /iOS 11.0 or later	APP Name:	Surplife
Channel:	RGB+CCT	Color Temperature:	3000K-6500K
Size:	300x55mm	Input Voltage:	AC100-130V AC190-240V
Application:	Store, Supermarket, Home		

Power:	48W	Connection Methods:	WiFi
Phone OS:	Android 6.0 /iOS 11.0 or later	APP Name:	Surplife
Channel:	RGB+CCT	Color Temperature:	3000K-6500K
Size:	375x55mm	Input Voltage:	AC100-130V AC190-240V
Application:	Store, Supermarket, Home		

Power:	28W	Connection Methods:	
Phone OS:	Android 6.0 /iOS 11.0 or later	APP Name:	Surplife
Channel:	RGB+CCT	Color Temperature:	3000K-6500K
Size:	335x80mm	Input Voltage:	AC100-240V
Application:	Store, Supermarket, Home		

F	Power:	24W	Connection Methods:	WiFi+BLE
F	Phone OS:	Android 6.0 /iOS 11.0 or later	APP Name:	Surplife
(Channel:	RGB+CCT	Color Temperature:	2700K-6500K
	Size:	250x1750mm	Input Voltage:	AC100-265V
Αţ	oplication:	Store, Supermarket, Home		









































SMART LED LIGHT WIFI CONTROLLER

2.4G Remote Control






2.4G Remote Control








Connection Methods:	RF 2.4G	Working Voltage:	- 2 0 TO + 4 5 °C	Connection Methods:	RF 2.4G	Working Voltage:	- 2 0 TO + 4 5 °C
Phone OS:	Android 6.0 /iOS 11.0 or later	APP Name:	Surplife	Phone OS:	Android 6.0 /iOS 11.0 or later	APP Name:	Surplife
Size:	50x84mm	Control Distance:	Visible Distance 30M	Size:	150x38mm	Control Distance:	Visible Distance 30M



 $\bigcirc \uparrow$





Easy to use


■ APP Control

Remote Control (match with smart Bridge)

Voice Control



| Remote control



 \bigcirc



| Voice Control



Timer Mode

 \bigcirc

9W LED Smart Bulb















Power:	9W	Connection Methods:	BT-Mesh
Phone OS:	Android 6.0 /iOS 11.0 or later	Input Voltage:	AC100-130V
Channel:	RGB+CCT	Color Temperature:	2700K-6500K
Size:	60X120mm	Viewing Angel:	120°
Application:	Store, Supermarket, Home	APP Name: I	Hao Deng


	-					
Phone OS:		Android 6.0 /iOS 11.0 or later		ı	nput Voltage:	AC100-130V
Channel:		RGB+CCT	Color Temperature:		2700K-6500K	
Size:		60X120mm	Viewing Angel:		120°	
Applica	tion:	Store, Superm	arket, Home		APP Name:	Hao Deng
A		(C)	8	((, \frac{\x}{\x})		
Musci Sync	16Million Co	olors Timer Mode	e Sync Control by Group	Voice Control	Smartphone Control	

	Power:	10W	Connection Methods:	BT-Mesh
	Phone OS:	Android 6.0 /iOS 11.0 or later	Input Voltage:	AC190-240V
	Channel:	RGB+CCT	Color Temperature:	2700K-6500K
	Size:	60X120mm	Viewing Angel:	120°
Д	application:	Store, Supermarket, Home	APP Name:	Hao Deng



Power:	5W	Connection Methods:	BT-Mesh
Phone OS:	Android 6.0 /iOS 11.0 or later	Input Voltage:	AC190-240V
Channel:	RGB+CCT	Color Temperature:	2700K-6500K
Size:	52X50mm	Viewing Angel:	120°
Application:	Store, Supermarket, Home	APP Name:	Hao Deng

A		(Q)	8	((, \frac{1}{2})	
Musci Sync	16Million Colors	Timer Mode	Sync Control by Group	Voice Control	Smartpho Control

















4W Candle Light











Power:	4W	Connection Methods:	BT-Mesh
Phone OS:	Android 4.0 /iOS 9.0 or later	Input Voltage:	AC95-130V AC190-240V
Channel:	RGB+CCT / CCT	Color Temperature:	2700K-6500K
Size:	38X110mm	Viewing Angel:	120°
Application:	Store, Supermarket, Home	APP Name:	Hao Deng

	Connection Methods:	BT-Mesh	
S 9.0 or later	Input Voltage:	AC95-130V AC190-240V	
СТ	Color Temperature:	2700K-6500K	
	Viewing Angel:	120°	
narket, Home	APP Name:	Hao Deng	

Power:	9W	Connection Methods:	Bluetooth
Phone OS:	Android 6.0 /iOS 11.0 or later	Input Voltage:	AC110-130V
Channel:	RGB+CCT	Color Temperature:	2700K-6500K
Size:	60X120mm	Viewing Angel:	120°
Application:	Store, Supermarket, Home	APP Name:	ZENGGE

A		(Q)	(8)	((/ ²)	
Musci Sync	16Million Colors	Timer Mode	Sync Control by Group	Voice Control	Smartphone Control

Power:	10W	Connection Methods:	Bluetooth
Phone OS:	Android 6.0 /iOS 11.0 or later	Input Voltage:	AC190-240V
Channel:	CCT	Color Temperature:	2700K-6500K
Size:	60X120mm	Viewing Angel:	120°
Application:	Store, Supermarket, Home	APP Name:	ZENGGE

		(0)	(8)	((, 2	
Sync	16Million Colors	Timer Mode	Sync Control by Group	Voice Control	Smartph Contr

Power:	1000	Connection Methods:	Bluetooth
Phone OS:	Android 6.0 /iOS 11.0 or later	Input Voltage:	AC190-240V
Channel:	RGB+CCT	Color Temperature:	2700K-6500K
Size:	60X120mm	Viewing Angel:	120°
Application:	Store, Supermarket, Home	APP Name:	ZENGGE

















BT-MESH SMART LED LIGHT SMART LED LIGHT


5W LED Smart Downlight

9W LED Smart Downlight





Power:	5W	Connection Methods:	BT-Mesh
Phone OS:	Android 6.0 /iOS 11.0 or later	APP Name:	Hao Deng
Channel:	RGB+CCT	Color Temperature:	2700K-6500K
Size:	55 x 100mm	Viewing Angel:	120°
Application:	Store, Supermarket, Home	Input Voltage:	AC100-240V



Power:	9W	Connection Methods:	BT-Mesh
Phone OS:	Android 6.0 /iOS 11.0 or later	APP Name:	Hao Deng
Channel:	RGB+CCT	Color Temperature:	2700K-6500K
Size:	88 x 132mm	Viewing Angel:	120°
Application:	Store, Supermarket, Home	Input Voltage:	AC100-240V










SMART LED LIGHT

15W LED Smart Downlight

9W LED Smart Downlight









































Smart Flood Light



MiNi LED Flood light





Power:	30W/40		Connection Methods:	BT-Mesh / WiFi+BLE
Phone OS:	Android 4.0 /iC	OS 9.0 or later	Input Voltage:	AC100-240V
Channel:	RGB+CCT		Color Temperature:	2700K-6500K
Size:	15x3x13mm	18x3x16mm	IP Rating:	IP65
Application:	Store, Garden	, Resturant		


















24W LED Smart Floodlight

50W LED Smart Floodlight





Power:	24W	Connection Methods:	BT-Mesh / WiFi+BLE
Phone OS:	Android 4.0 /iOS 9.0 or later	Input Voltage:	AC100-240V
Channel:	RGB+CCT	Color Temperature:	2700K-6500K
Size:	186X40X155mm	IP Rating:	IP66
Application:	Store, Garden, Resturant		

Power:	50W	Connection Methods:	BT-Mesh / WiFi+BLE
Phone OS:	Android 4.0 /iOS 9.0 or later	Input Voltage:	AC100-240V
Channel:	RGB+CCT	Color Temperature:	2700K-6500K
Size:	235X57X195mm	IP Rate:	IP66
Application:	Store, Garden, Resturant		



























Hoght Power Smart Floodlight



Power:	100W/200w	Connection Methods:	BT-Mesh / WiFi+BLE
Phone OS:	Android 4.0 /iOS 9.0 or later	Input Voltage:	AC100-240V
Channel:	RGB+CCT	Color Temperature:	2700K-6500K
Size:	Ip66	IP Rate:	IP66
Application:	Store, Garden, Resturant		




















*) BT MESH CONTROLLER

BT MESH—Smart Bridge





Smart Remote Controller

Smart Remote Controller









Channel: S/		S/CCT/RGB/RGBW	Connection Methods:	Bluetooth 5.0
	Phone OS:	Android 5.0 /iOS 12.0 or later	APP Name:	Hao Deng
	Input Voltage:	DC(3-3.6)V	Control Distance:	Visible Distance 30M
	Application:	Floodlight、Ceiling Lamp		

